



OFFICE OF THE SHERIFF

Chad Chronister, Sheriff
Jose Docobo, Chief Deputy
Hillsborough County, Florida

April 6, 2018

SUBJECT: Amendment No. 3 to RFP 4-18 Tactical Building

MESSAGE: Please note and acknowledge the following changes or additions to be included in the referenced section(s) of RFP 4-18:

1. Technical Specifications, (Part C)(2)(c) – Replace c. in its entirety as follows:
 - c. Contractor will provide and install a .60 mil Thermoplastic Polyolefin (TPO) roofing system to concrete roof decks. No other roof type will be considered. Approved Manufacturers: Carlisle SynTec; Flex Roofing Systems; GAF Commercial Roofing Products; Versico Roofing Systems; Johns Manville or an approved equal manufacturer. Approved equal manufacturer shall be submitted and approved by HCSO. Walkway pads will not be required at this time.

Please note that this document hereby becomes a part of RFP No. 4-18 and without this document, the Proposal is considered incomplete.

Sincerely,

Paula J. Porter, A/CFO

for

Christina R. Porter, CPA
Chief Financial Officer

CRP/dmj

ACKNOWLEDGEMENT OF AMENDMENT

We do hereby acknowledge the information and/or changes described in the
Amendment No. 3 to RFP 4-18.

PLEASE PRINT – Company Name: _____

By: _____

Title: _____

Date: _____

Signature: _____

(Signed Acknowledgement must be included with your Bid Package)